

Wood burning steel stove KRATKI ERIK Ø 150 5,5 kW decorative ceramics SERPENTINO black thermotec

SKU: ERIK/SPT/BLACK EAN: 5903751277002



Technical data

General data

Rated output (kW)	5.5
Heating power range (kW)	2,5-8,5
Heating efficiency (%)	80.5
Exhaust gas temperature (°C)	297
Max length of logs (cm)	25
Color	Serpentino
Self Closure	No
Door opening direction	Left
Materials	Steel
Flue outlet diameter (mm)	150
Air intake diameter (mm)	100

Energetic efficiency

Energy class	A
Energy efficiency index (EEI)	106.7
Seasonal Heating efficiency (%)	70.5
Moc cieplna do ogrzewania pomieszczeń (kW)	5.5
CO emissions (at 13% O ₂) ≤ given in %	0.077
Emisja CO (mg/m ³)	965
Dust emission (mg/Nm ³)	37
Emisja NO _x (mg/Nm ³)	117
Emisja OGC (mg/Nm ³)	103
Flue gases mass flow rate (g/s)	4

Certifications / Compliance

Meets requirements **KRATKI PRO, Ecodesign,
Designed for recuperation,
BlmSchV 2, 7* Flamme Verte**

Additional information

Design features **Air intake - built in ,
Ashpan, Combustion
chamber lining, Decorative
glass**

Front type **Steel front with bent
painted glass**

Type of fuel **Seasoned deciduous wood
(humidity ≤20%)**

EAN **5903751277002**

Physical parameters

Width (cm) **52.8**

Height (cm) **103.9**

Depth (cm) **42.2**

Weight (kg) **161**

