


Air Fireplace FLOKI L simple with black thermotech and closing mechanism

SKU: FLOKI/L/PF/BLACK/BA1 EAN: 5903751242499



Technical data

General data

Version	Front facing
Rated output (kW)	12
Heating power range (kW)	10-14
Heating efficiency (%)	85
Exhaust gas temperature (°C)	260
Max length of logs (cm)	50
Min inlet grids active field (cm2)	500
Min outlet grids active field (cm2)	700
Flue outlet diameter (mm)	200
Color	Black
Self Closure	Yes
Materials	Steel
Door opening direction	Left

Energetic efficiency

Energy class	A+
Energy efficiency index (EEI)	106
Seasonal Heating efficiency (%)	75
Moc cieplna do ogrzewania pomieszczeń (kW)	12
CO emissions (at 13% O ₂) ≤ given in %	0.1
Emisja CO (mg/m3)	1146
Dust emission (mg/Nm3)	17
Emisja NOx (mg/Nm3)	106
Emisja OGC (mg/Nm3)	76
Flue gases mass flow rate (g/s)	9.3

Certifications / Compliance

Meets requirements	Ecodesign, Designed for recuperation, BImSchV 2
--------------------	--

Additional information

Design features	Air intake - built in , Ashpan, Combustion chamber lining, Decorative glass
-----------------	--

Front type	Steel front with painted glass
------------	---------------------------------------

Type of fuel	Seasoned deciduous wood (humidity ≤20%)
--------------	--

EAN	5903751242499
-----	----------------------

Physical parameters

Width (cm)	93.2
Height (cm)	129.7
Depth (cm)	48.62
Weight (kg)	175.21

