

FLOKI M simple air fireplace

SKU: FLOKI/M/PF EAN: 5903751242406



Technical data

General data

Version	Front facing
Rated output (kW)	10
Heating power range (kW)	4,5 - 13,5
Heating efficiency (%)	83
Exhaust gas temperature (°C)	240
Max length of logs (cm)	50
Min inlet grids active field (cm ²)	500
Min outlet grids active field (cm ²)	700
Flue outlet diameter (mm)	200
Color	Black
Self Closure	No
Materials	Steel
Door opening direction	Left

Energetic efficiency

Energy class	A+
Energy efficiency index (EEI)	110.4
Seasonal Heating efficiency (%)	73
Moc cieplna do ogrzewania pomieszczeń (kW)	10
CO emissions (at 13% O ₂) ≤ given in %	0.09
Emisja CO (mg/m ³)	1033
Dust emission (mg/Nm ³)	28
Emisja NO _x (mg/Nm ³)	135
Emisja OGC (mg/Nm ³)	74

Certifications / Compliance

Meets requirements **Ecodesign, Designed for recuperation, BImSchV 2**

Additional information

Design features **Air intake - built in , Ashpan, Combustion chamber lining, Decorative glass**

Front type **Steel front with painted glass**

Type of fuel **Seasoned deciduous wood (humidity $\leq 20\%$)**

EAN **5903751242406**

Physical parameters

Width (cm) **83.2**

Height (cm) **129.7**

Depth (cm) **48.64**

Weight (kg) **160.02**

